			WW
	Application No.	Applicant(s)	
Notice of Allowability	10/796,723	SHAJII ET AL.	
	Examiner	Art Unit	
	Ramesh Krishnamurthy	3753	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS ( herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to communications filed	<u>10/18/04</u> .		
2. ☑ The allowed claim(s) is/are <u>1 - 35</u> .			
3. The drawings filed on are accepted by the Examiner			
4. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have 1. ☐ Copies of the certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have 1. ☐ Certified copies not received: ☐  Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submited in INFORMAL PATENT APPLICATION (PTO-152) which give for a priority in including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date ☐  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date ☐  Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proposition of the proposition of the deposition of the priority	been received.  been received in Application No cuments have been received in this is of this communication to file a reply ENT of this application.  itted. Note the attached EXAMINER' es reason(s) why the oath or declarate t be submitted. on's Patent Drawing Review ( PTO- a Amendment / Comment or in the Comment or in the Comment of BIOLOGICAL MATERIAL in sit of BIOLOGICAL MATERIAL in	complying with the red S AMENDMENT or N tion is deficient.  948) attached  office action of the sin the front (not the sin).  nust be submitted.	quirements OTICE OF
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 10/04</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	,

This office action is responsive to communications filed 10/18/2004.

## Claims 1 - 35 are pending.

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jeffrey J. Miller on 05/03/05 and on 05/04/05.

The application has been amended as follows:

In claim 20, "i has been replaced with - - i - - in lines 2 and 3.

In claim 22, line 3, - - for each line i - - has been inserted after "comprising".

In claim 22, line 4, "i" has been inserted after "line".

In claim 22, line 5 "system" has been replaced with - - tubing in the zone i connected to the flow line i - - .

In claim 22, line 7 "system" has been replaced with - - tubing in the zone i and measured pressure in the flow line i - - .

In claim 31, line 1, "claim 31" has been replaced with - - claim 29 - -.

In claim 35, "of" (first occurrence) has been replaced with - - associated with a system for - -.

- 2. Claims 1 35 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: The prior art of record neither shows nor teaches a combination for the claimed system that

comprises in combination with other recited elements, a zone pressure estimator that calculates a pressure estimate for a zone i based on the properties of the associated system and the measured pressure in the flow line i connected thereto or a method that comprises the step of calculating a pressure estimate for a zone i based on the properties of the associated system and the measured pressure in the flow line i connected thereto.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramesh Krishnamurthy whose telephone number is (571) 272 – 4914. The examiner can normally be reached on Monday - Friday from 10:00 AM to 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene L. Mancene, can be reached on (571) 272 - 4930. The fax phone number for the organization where this application or proceeding is assigned is (703) 872 - 9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 - 0861.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/796,723

Art Unit: 3753

Page 4

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ramesh Krishnamurthy, Ph.D., PE

Primary Examiner Art Unit 3753